

ARM Telcibey is a manufacturer of grass fence, panel fence, chain-link, barbed wire, and razor wire production machines.

We have consolidated over 40 years of machinery experience under the corporate umbrella of ARM Telcibey.

With our motto "Solution-Oriented Approaches", we focus on the challenges faced by wire fence manufacturers—such as production delays, labor-intensive operations, and workflow inefficiencies. All of our machines are designed with this approach in mind.

If you are aiming for higher production capacity, reduced labor dependency, lower maintenance costs, and superior product quality, make sure to explore ARM Telcibey's wire fence machinery before making a purchase decision.

Here are the machines we manufacture under ARM Telcibey:

- Grass Fence Wire Machine: CCH PRO
- Grass Fence Chain Link Machine: CCO PRO
- Chain Link Fence Machine: HTO PRO
- Panel Fence Spot Welding Machine: PCP PRO
- Profile Flange Welding Machine: AKR
- Profile Drilling Machine: PDM
- Wire Straightening and Cutting Machine: TDK PRO
- Wire Bending Press: TBP
- Razor Wire Machine : AJT
- Barbed Wire Machine: DKN PRO

Choose ARM Telcibey's professional-grade wire fence production machines for a competitive edge in wire manufacturing — enabling faster, more efficient, and higher-quality output with fewer personnel.



CCH PRO Grass Fence Wire Machine

Patented "Endless Transfer System" — Full Feeding Without Reels

Control: Touchscreen Panel and Remote ControlSystem: Fully AutomaticCapacity: 1800 linear meters/hour (50 m²/hour)Wire Diameter: Ø 1,5 mm – 2,00 mm

The first and only Grass Fence Preparation Machine without a spool – direct transfer from preparation to knitting



CCO PRO Grass Fence Chain Link Machine



With the patented "Endless Transfer System," reel-free full feeding

System : Semi-Automatic with Counter Capacity: 50 m2/hour



HTO PRO Chain Link Fence Machine



Airless!

The system operates without the need for a compressor. Production capacity: 220 m² per hour

	HTO-200	HTO-300	HTO-400	HTO-600
Weaving Width	0.2-2.2 mt	0.2-3.2 mt	0.2-4.2 mt	0.2-6.2 mt
Weaving Wire Diameter	1,9-3,2 mm	1,9-3,2 mm	1,9-3,2 mm	1,9-3,2 mm
Mesh Opening Size	30-85 mm	30-85 mm	30-85 mm	30-85 mm

Capacity: 160–220 m²/hour (Varies depending on mesh size) Net value: 220 m²/hour based on 65 mm mesh size

Number of Molds: 2 types (customizable upon request)

Other Features:

Service, updates, and fault detection via internet connection Operates without the need for a compressor Kalıp sayısı 2 Çeşit (İsteğe göre)



PCP PRO Panel Fence Spot Welding Machine



System	: Fully automatic – Easily adjustable welding points
Feeding	: Horizontal wire feeding from magazine; automatic
	lengthwise wire feeding
Capacity	: 600–750 panels/day (depending on mesh spacing)
Wire Diameter	: Ø 2 mm – 8 mm
Transformer	: 3 × 120 kW

We can provide customized machine configurations tailored to your desired panel sizes, wire specifications, and available power capacity.



AKR Profile Flange Welding Machine

Profile Length Capacity System

: 50 – 250 cm Profile Dimensions : 50×50 mm – 80×80 mm (square) : 15 sec/unit : Includes 2 water-cooled 400A welding units



PDM **Profile Drilling Machine**



Taşınabilir Portable Foot pedal operated Capacity: 400 units/hour with 2 mm profile thickness

TBP Wire Bending Press

Bending Range System Power Wire Diameter Capacity

: 50-280 cm : Hydraulic :80 tons : Ø 2 mm – 6 mm : 10 seconds/unit





DKN PRO Barbed Wire Machine

Reel-Free Double-Sided Winding Speed Adjustable Automatic Counter Capacity : 750–1000 m/hour Feeding : Fully automatic feeding Wire Diameter : Ø 1.3 mm – 2.5 mm Barb Spacing : 120 mm (fixed)

> AJT PRO Razor Wire Machine

TELCIBEY



Sheet Width: 22 mmThickness: 0.40–0.50 mmSystem: Fully automatic feedingAdjustable Speed OptionsCapacity: 450 m/hourWire Output: Helical / Planar



TELCIBE

23

armtelcibey.com.tr +90 505 379 95 99

Beytepe Mh. 1669/3 Sk. No:10 Çankaya - Ankara - Türkiye
Fevzi Çakmak Mh. 10758 Sk. No:29B Karatay - Konya - Türkiye



